



1-135 Quarter-Turn with Drip Handle Pr20.1 L18

for cutout 20.1, length 18, with cylinder

Benefits:

- ▶ Drip handle Quarter-turn.
- ▶ RH or LH application.
- ▶ For individual design, round, coloured clip-in inserts are available which can be clipped-in into the lower part of the handle.
- ▶ The Quarter-turn consists of two basic components which can be combined to suit your application.
- ▶ On request parts can be assembled by DIRAK.
- ▶ A pre-assembled Quarter-Turn can be installed in the cutout.

Material:

- a) and b)
 - ▶ **Drip handle:** PA, black with zinc die core
 - ▶ **Housing:** zinc die, chrome plated
 - ▶ **Cylinder:** PA, black or zinc die, chrome plated
 - ▶ **Blind plug:** PA, black
- only a)
 - ▶ **Insert:** PA, black
- c)
 - ▶ **Colored inserts:** PA, different colours
- d)
 - ▶ **Cam:** steel, zinc plated



Quarter-turn with Drip handle+Insert, black

	Part Number	Latching type	Closing	Housing length	Door-thickness	Material	Surface	Grounding type	Installation type	Version
a)	200-9394.00-00000			L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	with blind plug
a)	200-9392.00-00000	Cylinder	keyed alike DIRAK 1333	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder PA, black
a)	200-9395.00-00000	Cylinder	keyed alike DIRAK 1333	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder zinc die, chrome plated
a)	500-9395.00-00000	Cylinder	keyed alike DS200	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder zinc die, chrome plated
a)	200-9393.00-00000	Cylinder	keyed different	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder PA, black
a)	200-9396.00-00000	Cylinder	keyed different	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder zinc die, chrome plated

Quarter-turn with drip handle, without insert

	Part Number	Latching type	Closing	Housing length	Door-thickness	Material	Surface	Grounding type	Installation type	Version
b)	200-9389.00-00000			L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	with blind plug
b)	200-9381.00-00000	Cylinder	keyed alike DIRAK 1333	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder PA, black
b)	200-9390.00-00000	Cylinder	keyed alike DIRAK 1333	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder zinc die, chrome plated
b)	500-9390.00-00000	Cylinder	keyed alike DS200	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder zinc die, chrome plated
b)	200-9382.00-00000	Cylinder	keyed different	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder PA, black
b)	200-9391.00-00000	Cylinder	keyed different	L18	max.8mm	zinc die	chrome plated	Grounding nut	screw-on	Cylinder zinc die, chrome plated



Additional Information:

200-9394.00-00000, 200-9392.00-00000,
200-9393.00-00000, 200-9389.00-00000, Water and dust-tight according to IP65.
200-9381.00-00000, 200-9382.00-00000

200-9395.00-00000, 500-9395.00-00000,
200-9390.00-00000, 500-9390.00-00000 With stainless dust-shutter.

Complementary Products:

	207-4902.00-00001	Colored Insert, red
c)	207-4902.00-00002	Colored Insert, blue
c)	207-4902.00-00003	Colored Insert, green
c)	207-4902.00-00004	Colored Insert, yellow
c)	207-4902.00-00005	Colored Insert, orange
c)	207-4902.00-00007	Colored Insert, mint
c)	207-4902.00-00008	Colored Insert, purple
c)	1-102	Cams L35/45
d)	1-262	Cam with or without ramp
d)	207-0015.00-00000	Assembling Inserts
e)	200-0019.00-00000	Assembling cam 90° to handle without o-ring
e)	200-0020.00-00000	Assembling cam, LH door
e)		

