



3-211 (3-200) Compression Rod Latch RS / FS PrC



Rod Latch for installation within the sealed area, with compression

Benefits:

- ▶ Compression 4mm.
- ▶ Single or multi-point latching by using of additional latching devices.
- ▶ The connecting rods between the latching devices can be fixed easily in clamps.
- ▶ For round rods Ø8mm or flat rods 3 x 14mm.
- ▶ Oblong hole allowstolerance compensation.
- ▶ RH and LH version.

Material:

- ▶ **Housing, rods, clamps, pinion:** zinc die

Closing process:

1. A 90° turn of the Swinghandle brings the cam into the locked position
2. With another 45° turn the cam is pressed by 4mm against the clamping surface.



Rod latch with compression, 2 rods

	Part Number	Version	Stroke	Installation type
a)	208-9076.00-00000	LH	23 mm	screw-on
a)	208-9077.00-00000	RH	23 mm	screw-on

Rod latch with compression, 1 rod

	Part Number	Version	Stroke	Installation type
b)	208-9078.00-00000	LH	23 mm	screw-on
c)	208-9079.00-00000	RH	23 mm	screw-on

Complementary Products:

	3-220 (3-201)	Rod Latch Adapter for Compression Rod Latch
d)	3-215 (3-202)	Re-Direction
	3-221 (3-209)	Rods for Compression Rod Latch
	3-203 (3-210)	Swinghandle for Compression Rod Latch
	208-1206.93-00000	Grounding clip
	1-102.01	Cams L45 without Ramp and Stop



