



## 3-150.04 Swinghandle FS PrC clip-in



### Advantages

- Swinghandle without lock **only** self-locking.
- Variants with additional padlock eye.
- For rod latch system see product system 3-130, 3-132.02, 3-165 or 3-170.
- RH / LH application.
- IP65 according to DIN EN 60529 - version dish with cap.
- Outside the sealed area - version dish with hook.

### Materials

- **Swinghandle:** PA, black
- **Dish:** PA, black



## Swinghandle PA, self-locking, handle closed

	Part Number	Latching type	Surface handle	Surface dish	Dish	Installation type
a)	107-9256.00-00000	self-locking	black	black	with cap (IP65)	screw-on
b)	107-9257.00-00000	self-locking	black	black	with hook	screw-on

## Swinghandle PA, self-locking, handle closed, for padlock

	Part Number	Latching type	Surface handle	Surface dish	Dish	Padlock bolt	Installation type
c)	107-9258.00-00000	self-locking	black	black	with cap (IP65)	Yes	screw-on
c1)	107-9259.00-00000	self-locking	black	black	with hook	Yes	screw-on

### \* Complementary products

3-130 **Rod Latch FS PrC**

3-170 **Rod Latch FS PrC**

3-132.02 **Rod Latch RS PrC**

3-165 **Rod Latch FS PrA, PrB and PrC**

**+** **Function extension**

d) 3-011 **Grounding clip**

