



3-150.05 Swinghandle FS PrC for Kaba- or Assa-, Abloy-, TrioVing-Cylinder



Advantages

- Swinghandle a) with Ø22mm for KABA 8-cylinder.
- Swinghandle b) with oblong hole 35x20mm for Assa-, Abloy-, TrioVing-cylinder. Suitable for 5- or 7-piston cylinder. Locking cam, adapter and fitting material is included for both versions.
- For rod latch system see product system 3-130, 3-132.02, 3-165 or 3-170.
- RH / LH application.
- IP65 according to DIN EN 60529.
- Version with cylinder cover is sealable.

Materials

- Swinghandle:** PA, black
- Dish:** PA, black



Swinghandle PA, for KABA cylinder Ø22mm

	Part Number	Latching type	Surface handle	Surface dish	Dish	Material cylinder cover	Sealable	Installation type
a)	207-9214.00-00000	KABA-cylinder	black	black	with cap (IP65)			screw-on
a)	207-9215.00-00000	KABA-cylinder	black	black	with cap (IP65)	PA	Yes	screw-on

Swinghandle PA, for Assa-, Abloy-, TrioVing cylinder

	Part Number	Latching type	Surface handle	Surface dish	Dish	Material cylinder cover	Sealable	Installation type
b)	207-9218.00-00000	Assa / Abloy / TrioVing	black	black	with cap (IP65)			screw-on
b)	207-9219.00-00000	Assa / Abloy / TrioVing	black	black	with cap (IP65)	PA	Yes	screw-on

b)	207-9220.00-00000	Assa / Abloy / TrioVing	black	black	with cap (IP65)	PA, reinforced	Yes	screw-on
----	-------------------	----------------------------	-------	-------	--------------------	-------------------	-----	----------

* Complementary products

3-130 **Rod Latch FS PrC**

3-170 **Rod Latch FS PrC**

3-132.02 **Rod Latch RS PrC**

3-165 **Rod Latch FS PrA, PrB and PrC**

+ Function extension

c) 3-011 **Grounding clip**

