



4-250SL Hinge Pr01 SNAP-LINE 180°

40x40mm, for nested door, tool-less installation

Benefits:

- ▶ Hinge 40x40mm SNAP-LINE.
- ▶ The installation is effected by a simple push into appropriate cutouts.
- ▶ Other data and dimensions see product system 4-250.
- ▶ 180° Opening angle.

Material:

- ▶ **Hinge halves:** zinc die, black
- ▶ **Pin:** stainless steel
- ▶ **Snap wedges:** sintered steel, zinc plated



Hinge, clip-in

	Part Number	Pin version	Clamping range (S)	Material Pin	Installation type
a)	418-9001.00-00015	pressed in	1.2 - 1.7	stainless steel	Tool-less
a)	418-9001.00-00020	pressed in	1.7 - 2.2	stainless steel	Tool-less
a)	418-9001.00-00025	pressed in	2.2 - 2.7	stainless steel	Tool-less
a)	418-9001.00-00030	pressed in	2.7 - 3.2	stainless steel	Tool-less

Hinge, snap-in/ screw-on, for molded in screws M5

	Part Number	Pin version	Clamping range (S)	Material Pin	Installation type
b)	418-9002.00-00015	pressed in	1.2 - 1.7	stainless steel	Tool-less / screw-on
b)	418-9002.00-00020	pressed in	1.7 - 2.2	stainless steel	Tool-less / screw-on
b)	418-9002.00-00025	pressed in	2.2 - 2.7	stainless steel	Tool-less / screw-on
b)	418-9002.00-00030	pressed in	2.7 - 3.2	stainless steel	Tool-less / screw-on

Hinge, snap-in/ screw-on, for countersunk screws M5

	Part Number	Pin version	Clamping range (S)	Material Pin	Installation type
c)	418-9003.00-00015	pressed in	1.2 - 1.7	stainless steel	Tool-less / screw-on
c)	418-9003.00-00020	pressed in	1.7 - 2.2	stainless steel	Tool-less / screw-on
c)	418-9003.00-00025	pressed in	2.2 - 2.7	stainless steel	Tool-less / screw-on
c)	418-9003.00-00030	pressed in	2.7 - 3.2	stainless steel	Tool-less / screw-on

Complementary Products:

d)	6-041	Countersunk screws and Hexagon nuts
e)	292-0401.00-03010	Cutout-cover
f)	292-0702.15-01030	Reinforcement plate for cutout SNAP-LINE
g)	292-0306.80-02530	Tool for uninstallation

